



Anesthesiology Clin N Am
20 (2002) 971–1001

ANESTHESIOLOGY
CLINICS OF
NORTH AMERICA

Cumulative Index 2002

Volume 20

March	NEW CONCEPTS AND TECHNIQUES IN PEDIATRIC ANESTHESIA, pages 1–246
June	NEUROSURGICAL ANESTHESIA, pages 247–484
September	ANESTHESIA-RELATED COMPLICATIONS, pages 485–732
November	HEPATIC MANIFESTATIONS OF SYSTEMIC DISEASES, pages 733–1001

Note: Page numbers of articles are in **boldface** type.

A

- Abciximab, for interventional neuroradiology, 351
- Abscess, brain, neuroendoscopic treatment of, 366–367
epidural, neuraxial blockade and, 671
retropharyngeal, airway management in, 780
- Acetaminophen, as adjunct to office-based anesthesia for children, 206
for postoperative pain management in children, 128
- Acetazolamide, for traumatic brain injury, 429–430
- Achondroplasia, airway management in, 768
- Acromegaly, airway management in, 768, 774
- Active compression–decompression cardiopulmonary resuscitation, in treatment of anesthesia-related cardiac arrest in children, 10–11
- Adenosine, for hypotension induction, in interventional neuroradiology, 352
in cerebral blood flow regulation, 254, 258
- Aintree Airway Exchange Catheter, 917
- Air embolism, central access and, 576
in pediatric neurosurgery, 393, 399
in stereotactic procedures, 371
neuraxial blockade and, 674
- Airway, evaluation of, in interventional neuroradiology, 348
in rheumatoid arthritis, 406–407
- Airway Exchange Catheter, 916
- Airway management, anatomy of, **733–745**, 813, 833–834
pediatric, 747–749
variations in, 834
with Esophageal-Tracheal Combitube, 894–895
with ProSeal laryngeal mask airway, 873–875
approaches to, **813–832**
in difficult situations. *See Difficult airway management.*
complications of, **503–512**, 814, **955–971**
anatomic considerations in, 956
in endotracheal intubation, 503–507
in laryngeal mask airway, 507–509
laryngotracheal, 959–969
nasal, 956–958
oral, 958–959
pharyngeal, 958–959
types of, 956
with cricothyrotomy, 828–829
with Esophageal-Tracheal Combitube, 903–904, 969
with jet ventilation, 969
with laryngeal mask, 507–509, 887–889, 968
with nasal airway, 852, 854
with ProSeal laryngeal mask airway, 887–889

- cricothyrotomy in, 828-829
diseases and, 767-787
equipment for, 821
 fiberoptic bronchoscopy, 938-941, 951-952
 for pediatric patients, 752-755
 laryngoscopes, 753, 918-931, 948-950
Esophageal-Tracheal Combitube for, 893-907, 929
evaluation for, 814-819
 in obstructive sleep apnea, 801-802
facemasks for. *See* Facemasks.
fiberoptic. *See* Fiberoptic airway management.
in interventional neuroradiology, 352
in obstructive sleep apnea. *See* Obstructive sleep apnea.
in pediatric neurosurgery, 391
in pediatric patients. *See* Pediatric patients, airway management in.
in treatment of anesthesia-related cardiac arrest in children, 8
laryngeal mask airways for. *See* Laryngeal mask airways.
nasal airways for, 754, 775, 850-854
oral airways for, 755, 854-861
physiology of, 733-745
 ProSeal laryngeal mask and, 875-877
skills for, 814
special devices and techniques for, 909-934
 endotracheal tube guides, 914-918
 fiberoptic laryngoscopes, 923-931
 lighted stylets, 909-914
 rigid laryngoscopes, 918-923
Airway trauma, anesthesia and, Closed Claims Project data on, 487-488
Albumin, cerebral effects of, 334
 for traumatic brain injury, 426
Alcohol, for sclerotherapy, in venous angioma, 356
Allergic reactions, to peripheral blockade, 701-702
Allergy, latex, in pediatric patients, 401
 α_2 adrenoceptor, for analgesia in pediatric patients, 67-68
 α_2 agonists, for analgesia in pediatric patients, 67-73
 α -amino-3-hydroxy-5-methyl-isoxazole receptors, anesthetic agent interactions with, 267-268
American Society of Anesthesiologists, difficult airway management guidelines of, 814-815, 821-824, 829-830
Amiocarone, as antiarrhythmic agent in anesthesia-related cardiac arrest in children, 15, 17
AMPA (α -amino-3-hydroxy-5-methyl-isoxazole) receptors, anesthetic agent interactions with, 267-268
Analgesia, novel concepts for, in pediatric surgical patients, 59-82
 α_2 agonists, α_2 adrenoceptor, 67-68
 clonidine, 68-72
 dexmedetomidine, 72-73
 cyclo-oxygenase-2 inhibitors, background, 59-60
 physiology, 60-64
 selective, 64-67
 opioids, fentanyl, 75-76
 morphine, 73-75
 remifentanyl, 76-77
sedation and, in pediatric patients for procedures outside the operating room. *See* Sedation, and analgesia in pediatric patients for procedures outside the operating room.
Anaphylaxis, airway management in, 774-775
 as side-effect of neuromuscular blockers in pediatric anesthesia, 53
Anatomic facemask, 843
Andersen's syndrome, airway management in, 768
Anesthesia, awareness during, 555-570
 incidence and etiology of, 555-558
 medicolegal consequences of, 561-564
 future trends in, 564
 in Europe, 565-566
 in United States, 561-563
 prevention of, 563-568
 Bispectral Index Scale in, 567-568
 psychological sequelae of, 558-561
 inhaled, delivery systems for. *See* Inhaled anesthesia delivery systems.
Anesthetic depth, monitoring in children, 148-149
Aneurysms, intracranial, 377-384. *See also* Subarachnoid hemorrhage.
 anesthetic management of, 381-384
 clinical features of, 378

- complications of, 379-381
 - diagnosis of, 378
 - epidemiology of, 377-378
 - interventional neuroradiology for, 354-355
 - postoperative management of, 384
 - rupture of, risk factors for, 377
 - unruptured, 377
- Angioma, venous, sclerotherapy for, 356
- Angioneurotic edema, hereditary, airway management in, 769
- Angioplasty, for atherosclerosis, 356-357
- for vasospasm, in subarachnoid hemorrhage, 356, 380, 447
- Ankle block, in children, 107-108
- Anticholinesterase drugs, and postoperative nausea and vomiting, 714-715
- Anticoagulants, for interventional neuroradiology, 350-351
- Antiemetics, for postoperative nausea and vomiting, 715-719
- Antiplatelet agents, for interventional neuroradiology, 351
- Anxiety, preoperative. *See also Psychological preparation of parent and pediatric surgical patient.*
- in children, outcomes related to, 40-42
 - risk factors for, 30-31
- Apert's syndrome, airway management in, 768
- Apnea, sleep. *See also Obstructive sleep apnea.*
- and perioperative respiratory complications, 522
- Apnea-hypopnea index, 799
- Arndt Airway Exchange Catheter Set, 917
- Arousal, from sleep, in obstructive sleep apnea, 795-796
- Arrhythmias, in subarachnoid hemorrhage, 381, 448
- management of, in anesthesia-related cardiac arrest in children, 15-18
 - pulmonary artery catheterization and, 578
- Arterial catheterization. *See Invasive monitoring.*
- Arterial injuries, central access and, 573-575
- Arteriovenous malformations, brain, 384-386
- anesthetic considerations in, 385-386
 - epidemiology of, 385
 - interventional neuroradiology for, 353-354
 - dural, interventional neuroradiology for, 354
 - spinal, interventional neuroradiology for, 355
- Arteritic anterior ischemic optic neuropathy, in postoperative blindness, 614
- Arthritis, rheumatoid, airway management in, 759, 773-774
- spinal surgery for, 405-408
- Arthrogryposis multiplex, airway management in, 768
- Arytenoid cartilage, anatomy of, 743
- dislocation of, in airway management, 960
- Aspiration, in traumatic brain injury, 422-423
- of foreign bodies, removal after, 764-765
 - of gastric contents
 - with facemask, 849-850
 - with ProSeal laryngeal mask airway, 888
 - of nasal airway device, 854
 - of oral airway device, 859
- Aspirin, for brain protection, 324
- Atherosclerosis, angioplasty for, 356-357
- Atlanto-axial instability, in trisomy 21, airway management in, 758
- Atlanto-axial subluxation, in rheumatoid arthritis, 407
- Atlanto-occipital extension limitation, fiberoptic bronchoscopy in, 941
- Atracurium, cerebral physiologic effects of, 284-285
- for intubation, in traumatic brain injury, 422
- Atropine, for bradycardia, in carotid artery angioplasty, 357
- Autonomic nervous system, in cerebral blood flow regulation, 254
- Autonomy in medical decision-making, examining, 228-230
- Autoregulation, of cerebral blood flow. *See Cerebral blood flow, regulation of.*

- Awake intubation, 821-825, 828-829
with fiberoptic endoscope, 944-951

B

- Back pain, neuraxial blockade and, 472-673
- Bainton pharyngolaryngoscope, 923
- Balloon angioplasty, for atherosclerosis, 356-357
for vasospasm, in subarachnoid hemorrhage, 356, 447
- Balloon-tipped bronchial blockers, in single lung ventilation in infants and children, 166-167
- Barbiturates, cerebral physiologic effects of, 282
for brain protection, 286, 315-317
for increased intracranial pressure, in traumatic brain injury, 453
mechanism of action of, 268
- Basilar artery, anatomy of, 247-248
- Basilar venous plexus, anatomy of, 250
- Beard, mask use with, 834, 843
- Beckwith-Wiedemann syndrome, airway management in, 768
- Behçet's syndrome, airway management in, 768
- Belscope angulated laryngoscope, 922
- Benzodiazepines, cerebral physiologic effects of, 283
for brain protection, 318
- Berman airway, 855
- Bicarbonate, in cerebral blood flow regulation, 254-256
- Binasal airway, 852
- Biopsy, brain, endoscopic, 366
muscle, for malignant hyperthermia, 636-637
- Bispectral Index Scale, in anesthesia monitoring, 567-568
- Bleeding, from nasal airway, 854
- Blindness, after spinal surgery, 412-414
postoperative. *See* Postoperative blindness.
- Blood, viscosity of, reduction of, in traumatic brain injury, 432
versus cerebral blood flow, 256-257
- Blood flow, cerebral. *See* Cerebral blood flow.
- Blood pressure. *See also* Hypertension; Hypotension.
control of, in aneurysm repair, 382
in brain protection, 321
in interventional neuroradiology, 351-352
in traumatic brain injury, 423-426
in cerebral blood flow regulation, 257-258
- Blood volume, cerebral, in traumatic brain injury, 430-431, 433
intubation effects on, 420
- Blood-brain barrier, colloid penetration of, 334
fluid movement through, 330-332
- Body mass index, excessive. *See* Obesity;
Obstructive sleep apnea, in obesity.
- Body piercing, mask use with, 835
- Bone grafts, for lumbar spinal fusion, 410-412
- BONFILS Retromolar Intubation Fiberscope, 914
- Brachial artery catheterization, monitoring of, 584
- Brachial plexus block, in children, 104-105
- Bradycardia, management of, in anesthesia-related cardiac arrest in children, 17-18
neuraxial blockade and, 683-684
- Brain, abscess of, neuroendoscopic treatment of, 366-367
anesthetic agent effects on, 265-291
brain protection and, 286-287
inhalation agents, 265-266, 277-280
intracranial pressure and, 285-286
intravenous, 281-285
lipophilicity and, 265-266
molecular action, 266-272
neurophysiological monitoring and, 287-288
nitrous oxide, 280-281
physiologic, 273-277
selection based on, 285-288
site of action, 265-266, 272-273
aneurysms of. *See* Aneurysms, intracranial.
arteriovenous malformations of, 384-386
in pediatric patients, 400
interventional neuroradiology for, 353-354
biopsy of, endoscopic, 366
cysts of, neuroendoscopic treatment of, 366-367

- edema of, in traumatic injury, 430
treatment of, 335-337
- hematoma of, in shaken baby syndrome, 401
neuroendoscopic evacuation of, 366-367
- oxygenation monitoring of. *See Oxygenation monitoring, cerebral.*
- procedures on. *See specific disorders and procedures.*
- protection of, 315-327
anesthetic selection for, 286-287
barbiturates for, 315-317
benzodiazepines for, 318
blood pressure control for, 321
etomidate for, 317
future of, 321-324
glucose management for, 321
in aneurysm repair, 384
in traumatic injury, 433-434
inhalation anesthetics for, 319-320
ketamine for, 318-319
nitrous oxide for, 319
opioids for, 318
propofol for, 317-318
temperature control for, 320-321
thiopental for, 384
- subarachnoid hemorrhage in. *See Subarachnoid hemorrhage.*
- traumatic injury of. *See Traumatic brain injury.*
- tumors of, pediatric, 399
- water content of, manipulation of, in traumatic injury, 430
- Brainstem, anesthetic agent effects on, 272
- Bronchogenic carcinoma, airway management in, 776
- Bronchogenic cysts, airway management in, 776
- Bronchoscopy, fiberoptic, anesthesia for, 944-948
approach to, nasal versus oral, 943
clinical aspects of, 943-944
contraindications for, 942
equipment for, 938-941, 951-952
failure of, 950-951
for difficult airway management, 826-828
for pediatric patients, 757
indications for, 941-942
mechanical skills for, 935-936, 938
patient preparation for, 944
teaching methods for, 935-938
techniques for, 935-938, 948-950
visual skills for, 938
for foreign body removal, 764-765
in mediastinal masses, 777

- Bronchospasm, from rapacuronium administration in pediatric patients, 53
- Brown-Robert-Wells frame, for stereotactic surgery, 370
- Bullard laryngoscope, 924-925
- Bupivacaine, for local anesthesia in children, 85

C

- Calcium, in treatment of anesthesia-related cardiac arrest in children, 14
- Calcium antagonists, for vasospasm, in subarachnoid hemorrhage, 446
- Calcium channels, anesthetic agent interactions with, 269, 271
- Cancer, airway management in, lung, 776
oral, 775
- Capnography, in obstructive sleep apnea, 798-800
- Capnometry, in postanesthesia care unit, 515-516
- Carbon dioxide, measurement of, in obstructive sleep apnea, 798-800
- Carbon dioxide tension, in cerebral blood flow regulation, 254-256
in traumatic brain injury, 429, 431
- Cardiac arrest, anesthesia and, Closed Claims Project data on, 496
in children, anesthesia-related, 1-28
causes, 4-5
incidence, 1-4
reducing risk of, adherence to monitoring standards, 21-22
defining scope of practice, 21
identifying high risk factors, 19-21
programs of quality improvement, 22-23
providing appropriate perioperative environment for children, 21
treatment, 5-7
airway management, 8
anesthetic agents, 7
intravascular fluids, 12-13
management of arrhythmias, 15-18
preserving neurologic function, 18
resuscitation medications, 13-15

- stopping resuscitative efforts, 19
- techniques of chest massage, 9-11
- vascular access, 11-12
- Cardiac arrhythmias, in obstructive sleep apnea, 796-797
- in subarachnoid hemorrhage, 381, 448
- Cardiac complications, of myotonic muscular dystrophy, 648
- of neuraxial blockade, 683-684
- Cardiac injuries, central access and, 575-576
- Cardiopulmonary bypass, cerebral metabolic rate of oxygen consumption in, 295
- Cardiopulmonary resuscitation, Esophageal-Tracheal Combitube for, 899-900
- techniques, in treatment of anesthesia-related cardiac arrest in children, 10-11
- Cardiovascular complications, of anesthesia, Closed Claims Project data on, 495
- Cardiovascular system, disorders of, in rheumatoid arthritis, 406
- ProSeal laryngeal mask effects on, 875
- Carotid artery(ies), anatomy of, 247
- cavernous fistulae with, interventional neuroradiology for, 354
- endarterectomy of, anesthetic selection for, 287
- cerebral oxygenation monitoring in, 303-304
- occlusion of, interventional neuroradiology for, 355
- stenting of, in atherosclerosis, 356-357
- Carpenter syndrome, airway management in, 758-759, 768
- Catecholamine excess, versus hyperthermia, 631-632
- Catheter embolism, central access and, 576
- Cavernous sinuses, anatomy of, 250
- carotid artery fistula with, 354
- CBF. *See Cerebral blood flow.*
- Celecoxib, as selective cyclo-oxygenase-2 inhibitor, 64-65
- Central access. *See Invasive monitoring.*
- Central nervous system, developmental differences in function of, 137-138
- Central neuraxial blocks, for pediatric regional anesthesia, 85-87
- Cerebellar arteries, anatomy of, 248
- Cerebral arteries, anatomy of, 247
- Cerebral blood flow, 247-264
 - anatomic considerations in, 247-250
 - anesthetic agent effects on, 273-277
 - barbiturate effects on, 282
 - benzodiazepine effects on, 283
 - control of, in traumatic brain injury, 427-434
 - etomidate effects on, 282-283
 - global, measurement of, 251
 - in pediatric patients, 389
 - in traumatic brain injury, 430-431, 433
 - inhalation anesthetic effects on, 278-280
 - intubation effects on, 420
 - ketamine effects on, 284
 - local, measurement of, 251
 - local anesthetic effects on, 284
 - measurement of, 251-252, 260-261
 - muscle relaxant effects on, 284
 - nitrous oxide effects on, 280-281, 285-286
 - normal, 250-251
 - opioid effects on, 281-282
 - propofol effects on, 283
 - regional, measurement of, 251
 - regulation of, 252-261
 - abnormal, 259-260
 - blood pressure in, 257-259
 - carbon dioxide vasoreactivity in, 254-256
 - flow-metabolism coupling in, 253-254
 - hypoxemia-induced vasodilation in, 256
 - limits of, 260
 - testing of, 260-261
 - viscosity in, 256-257
- Cerebral metabolic rate of oxygen consumption, anesthetic agent effects on, 273-277
- barbiturate effects on, 282
- estimation of, 295
- etomidate effects on, 282-283
- inhalation anesthetic effects on, 278-280
- local anesthetic effects on, 284
- normal, 250-251
- opioid effects on, 281-282
- propofol effects on, 283
- versus blood flow, 253-254
- Cerebral oximetry, for monitoring cerebral oxygenation in pediatric neuroanesthesia, 141
- Cerebral oxygenation monitoring. *See Oxygenation monitoring, cerebral.*
- Cerebral perfusion pressure, control of, in traumatic brain injury, 427-434

- critical values for, for oxygen tension maintenance, 306-308
in cerebral blood flow regulation, 257-258
- Cerebral protection. *See Brain, protection of.*
- Cerebral salt-wasting syndrome, fluid management in, 342
- Cerebral vascular resistance, regulation of, 427-428
- Cerebral veins, anatomy of, 248-249
- Cerebrospinal fluid, anesthetic agent effects on, 277
barbiturate effects on, 282
benzodiazepine effects on, 283
inhalation anesthetic effects on, 280
ketamine effects on, 284
opioid effects on, 282
pressure of, manipulation of, in traumatic brain injury, 429-430
propofol effects on, 283
- Cervical spine, immobile or unstable, fiberoptic bronchoscopy in, 941
rigid laryngoscope for, 923
injuries of, with traumatic brain injury, 418, 420-421, 423
rheumatoid arthritis of, surgery for, 405-408
- Cheek, injury of, in facemask use, 842
- Cherubism, airway management in, 768
- Chest massage techniques, in treatment of anesthesia-related cardiac arrest in children, 9-11
- Chin, injury of, in facemask use, 842
- Chin lift, for mask use, 836-837
- Chin retainer bar, for facemask, 848-849
- Chloral hydrate, and nitrous oxide, for office-based anesthesia in children, 204-205
for sedation of pediatric patients, 190
- 4-Chloro-m-cresol, in muscle biopsy, for malignant hyperthermia, 637
- 2-Chloroprocaine, for local anesthesia in children, 84-85
- Cholinergic side-effects, of neuromuscular blockers in pediatric anesthesia, 53
- Chotzen's syndrome, airway management in, 768
- Christ-Siemans-Touraine syndrome, airway management in, 768
- Chubby puffer syndrome, airway management in, 768
- Circle of Willis, anatomy of, 248
- Cleft and palate, airway management in, 768
repair of, 761-762
- CLM laryngoscopes, 920
- Clonidine, for analgesia in children, 68-72
for epidural analgesia in children, 123-124
for preemptive analgesia in children, 129
- Closed Claims Project, description of, 491
design of, 486
influence of, **485-501**
limitations of, 487-491
changing practice patterns and standards of care, 489-490
outcome bias, 490-491
poor interrater reliability, 490
retrospective bias and nonpartial participants, 490
unknown incidence, 487-489
outcome trends in, 492-500
airway trauma, 497-498
cardiovascular adverse events, 495
decreasing injury severity, 492-493
intraoperative awareness, 561-563
monitored anesthesia care claims, 499
neuraxial cardiac arrest, 496
office-based anesthetic injuries, 498
postoperative visual loss, 499-500
respiratory adverse events, 493-495
specific injury patterns, 495-496
spinal cord injuries, 497
ulnar nerve injuries, 496-497
ulnar neuropathy, 589-590
- CMRO₂. *See Cerebral metabolic rate of oxygen consumption.*
- Cocaine, for nasal anesthesia, in fiberoptic bronchoscopy, 944
- Colloid oncotic pressure, in fluid management, 330, 334, 337
- Colloids, cerebral effects of, 334-335
for traumatic brain injury, 426
- Combitube. *See Esophageal-Tracheal Combitube.*
- Communicating arteries, anatomy of, 248
- Complications, of airway management. *See Airway management, complications of.*

- Computed tomography, in traumatic brain injury monitoring, 454
- Congenital anomalies, of airway, in pediatric patients, 757-759
- Congenital cystic lesions, in neonates and infants, 155-156
- Congenital diaphragmatic hernia, in neonates and infants, 157-158
- Congenital lobar emphysema, in neonates and infants, 156
- Connell facemask, 843
- Continuous caudal catheter, for pediatric regional anesthesia, 90
- Continuous positive airway pressure, with masks, 837, 839
- Contracture test, for malignant hyperthermia, 635-637
- Contrast injections, reactions to, versus hyperthermia, 631
- Cook Airway Exchange Catheter EF, 917
- Cormack-Lehane grades, of laryngoscopic view, 814-816, 819
- Cornelia de Lange's syndrome, airway management in, 768
- Corpectomy, for spinal metastasis, 408-410
- Cortical blindness, postoperative, 615-616
- Craniectomy, strip, endoscopic, 367-369
- Craniosynostosis, repair of, 367-369, 398-399
- Craniotomy, awake, in pediatric patients, 142-144, 400
- Cretinism, airway management in, 768
- Cricoarytenoid joint, rheumatoid arthritis of, 406-407
- Cricoid cartilage, anatomy of, 741
pediatric, 748
- Cricoid pressure, for regurgitation management, in traumatic brain injury, 422-423
- Cricothyrotomy, in airway management, 828-829
- Cri-du-chat syndrome, airway management in, 768
- Croup, postextubation, 759-760
- Crouzon disease, airway management in, 758-759, 768
- Crystalloids, cerebral effects of, 332-333
for traumatic brain injury, 424
- Cuff inflation, with ProSeal laryngeal mask airway, 881-882
- Cuffed oropharyngeal airway, 856
- Cyanoacrylate glues, for arteriovenous malformation embolization, 353-354
- Cyclo-oxygenase-2 inhibitors, for analgesia in pediatric patients, background, 59-60
physiology, 60-64
selective, celecoxib, 64-65
parecoxib, 66-67
rofecoxib, 65-66
- Cysts, airway management in,
bronchogenic, 776
epiglottic, 776
brain, neuroendoscopic treatment of, 366-367
- Cystic hygroma, airway management in, 769
-
- D**
- Dantrolene, for malignant hyperthermia, 643
- Dead space, in facemask, 848
- Decision-making, medical, examining autonomy in, 228-230
legal contours in, 234-235
- Deep venous thrombosis, in spinal cord injury, 457
in subarachnoid hemorrhage, 448
risk of, reduction of, 487-488
- Dental injuries, endotracheal intubation and, 504
- Dental problems. *See Teeth.*
- Dermal hypoplasia, focal, airway management in, 769
- Desflurane, cerebral physiologic effects of, 277-278, 280
for brain protection, 319-320
- Dexmedetomidine, for analgesia in pediatric patients, 72-73
- Dextran, cerebral effects of, 334
for neurosurgery, 339
- Diabetes insipidus, fluid management in, 341-342
in traumatic brain injury, 455
- Diabetes mellitus, airway management in, 772-773

Diazepam, for seizures, in traumatic brain injury, 453

Difficult airway management, American Society of Anesthesiologists' guidelines for, 814-815, 821-824, 829-830

awake intubation in, 821-825, 828-829

bronchoscopy in, 826, 828

communication concerning, 830

cricothyrotomy in, 828-829

definitions of, 814

equipment cart for, 821

Esophageal-Tracheal Combitube for, 901-902

evaluation for, 814-819

fiberoptic intubation in, 825

in airway disorders, **767-787**

infectious, 779-780

list of, 768-771

mediastinal masses, 776-778

neoplastic, 772-775

nonneoplastic noninfectious, 775-777

stridor, 767, 772

in obstetrics, 819-821

in pediatric patients, 750, 755-761

laryngeal mask airways for, **863-870**

Mallampati classification of, 817-819

retrograde intubation in, 825-827

risk stratification in, 819-821

strategic plan for, 821

Digital nerve blocks, in children, 108-109

Dilatational cricothyrotomy, percutaneous, 828-829

Diverticulum, Zenker's, airway management in, 774

Doppler sonography, in cerebral blood flow measurement, 260-261

transcranial, for cerebral blood measurement, 251-252

in pediatric neuroanesthesia, 140-141

Dörge emergency laryngoscope blade, 920

Double-lumen tubes, in single lung ventilation in infants and children, 168-169

Down syndrome, airway management in, 757-758, 769

DPT, for sedation of pediatric patients, 191

Droperidol, for postoperative nausea and vomiting, 716-717

Dural arteriovenous malformations, interventional neuroradiology for, 354

Dural puncture, neuraxial blockade and, 671-672

Dural venous sinuses, anatomy of, 249-250

Dysphagia, in airway management, 961

E

Ebselen, for vasospasm, in subarachnoid hemorrhage, 447

Edema, airway, extubation in, 760-761

brain, in traumatic injury, 430

treatment of, 335-337

subglottic, endotracheal intubation and, 507

Edwards syndrome, airway management in, 769

Elderly persons, mask use in, 835

Electrocardiography, in obstructive sleep apnea, 798-800

in subarachnoid hemorrhage, 381

Electrocortigraphy, in pediatric neurosurgery, 394

Electroencephalography, anesthetic selection for, 287-288

for monitoring cerebral oxygenation in pediatric neuroanesthesia, 139-140

in brain protection evaluation, 316-317

in obstructive sleep apnea, 798-800

in pediatric neurosurgery, 394

Electrolyte imbalance, in neurologic disorders, fluid management for, 341-343

subarachnoid hemorrhage, 381

Electromyography, in obstructive sleep apnea, 798-800

in pediatric neurosurgery, 394

Electro-oculography, in obstructive sleep apnea, 798-800

Electrophysiologic monitoring, anesthetic selection for, 287-288

Ellis-van Creveld syndrome, airway management in, 769

Embolism, air, in pediatric neurosurgery, 393, 399

in stereotactic procedures, 371

neuraxial blockade and, 674

catheter, wire, and air, central access and, 576

pulmonary, risk of, reduction of, 527-529

Embolization, of arteriovenous malformations, 353-354, 385-386

- Emergency medicine, Esophageal-Tracheal
Combitube for, 899
ProSeal laryngeal mask airway for, 885
- Emphysema, congenital lobar, in neonates and
infants, 156
- Encephalocele, closure of, 397
- Endarterectomy, carotid, anesthetic selection
for, 287
cerebral oxygenation monitoring in,
303-304
- Endobronchial injuries, endotracheal
intubation and, 507
- Endoscopy, for neurosurgery.
See Neuroendoscopy.
- Endotracheal intubation, awake, 821-825,
828-829
complications of. *See Airway manage-
ment, complications of.*
difficult. *See Difficult airway manage-
ment.*
extubation in. *See Extubation.*
fiberoptic. *See Fiberoptic airway
management.*
guides for, 914-918
in endoscopic strip craniectomy, 368
in obesity, 802-804
in obstructive sleep apnea, 802-804
in pediatric neurosurgery, 391
in pediatric patients, fiberoptic
bronchoscope for, 757
in cleft palate repair, 762
in papilloma removal, 763-764
laryngoscopy for, 752
light wand for, 756-757
muscle relaxants for, 751-752
tubes for, 748-749, 752-753
in spinal cord injury, 456
in traumatic brain injury, 420-423
leak testing in, 761
retrograde, 825-827
stylets for, in pediatric patients, 756-757
lighted, 909-914
traumatic complications of, 503-507
with Combitube. *See Esophageal-
Tracheal Combitube.*
with laryngeal mask airways, 863-870
- Enflurane, cerebral physiologic effects of,
277-279
- Enoximone, and rhabdomyolysis, 633
- Epidermolysis bullosa, airway management
in, 769
- Epidural abscess, neuraxial blockade and, 671
- Epidural anesthesia, for pediatric thoracic
surgery, 171-174
for postoperative pain management in
children, 120-121
adverse effects of, 124-126
caudal vs. lumbar or thoracic
catheter insertion, 121
choice of local anesthetic agent,
121-122
epidural opioids, clonidine, and
other additives, 122-124
patient-controlled, 124
sedatives, 124
- Epidural block, for pediatric regional
anesthesia, 90-93
- Epidural hematoma, neuraxial blockade and,
669-670
- Epiglottitis, airway management in, 779-780
anatomy of, 743
pediatric, 748
cysts of, airway management in, 776
- Epilepsy, surgical treatment of, in pediatric
patients, 399-400
- Epinephrine, for anaphylaxis, 775
in treatment of anesthesia-related cardiac
arrest in children, 13-14
- Eschmann tracheal introducer, 914-915
- Esmolol, for hypertension control, in aneurysm
repair, 382
- Esophageal obturator airway, 893-894
Combitube as improvement on. *See
Esophageal-Tracheal Combitube.*
- Esophageal perforation, endotracheal
intubation and, 505
- Esophageal-Tracheal Combitube,
893-907, 929
advantages of, 902-903
anatomic considerations in, 894-895
complications of, 903-904, 969
contraindications to, 903-904
description of, 894-895
disadvantages of, 903-904
for cardiopulmonary resuscitation,
899-900
for difficult airways, 901-902
for elective surgery, 902
for trauma, 900-901
history of, 893-894
insertion of, 895-898
placement confirmation for, 898
uses of, 899-902
- Esophagus, air aspiration in, with ProSeal
laryngeal mask airway, 888-889
injury of, in airway management, 814

- perforation of, from Esophageal-Tracheal Combitube, 903
- Zenker's diverticulum of, airway management in, 774
- Ethical dilemmas for pediatric surgical patients, **227-240**
- ethical problem solving, 230-234
 - examining autonomy in medical decision-making, 228-230
 - judicial approach, 235-238
 - legal contours in medical decision-making, 234-235
- Etomidate, cerebral physiologic effects of, 282-283
- electrophysiologic monitoring interactions with, 287-288
 - for brain protection, 317
 - for intubation, in traumatic brain injury, 421
 - oxygen tension effects of, 307
- Exertional rhabdomyolysis, clinical features of, 642-643
- Extubation, in obesity, 804-805
- in obstructive sleep apnea, 804-805
 - laryngotracheal stenosis after, 964
 - of pediatric patients, 759-761
 - in cleft palate repair, 762
 - in difficult situations, 760-761
- Eyes, protection of, in facemask use, 841
-
- F**
- Facemasks, 840-850
- adjuncts to, 848-849
 - application of, 844-845
 - attachment to circuit, 844
 - dead space in, 848
 - description of, 841
 - disposable, 843-844
 - facial structures and, 841-843
 - fit of, 847-848
 - fogging of, 840
 - for pediatric patients, 846
 - holding of, 845-847
 - inflation of, 844
 - maneuvers for, 836-840
 - potential difficulties with, 834-840
 - preparing of, 844
 - purpose of, 840
 - selection of, 843-844
 - two-handed ventilation with, 839
 - types of, 843-844
 - vomiting with, 849-850
- Facial artery and nerve, compression of, in facemask use, 842
- Failed back syndrome, spinal fusion in, 411
- Farber's disease, airway management in, 769
- Fastrach laryngeal mask airway, 866-869
- Femoral artery catheterization, monitoring of, 584
- Femoral nerve block, in children, 107
- Fentanyl, for analgesia in pediatric patients, 75-76
- for aneurysm repair, 382
 - for epidural analgesia in children, 123
 - for epilepsy surgery, 400
 - for pediatric neurosurgery, 392
 - for postoperative pain management in children, 118
 - for sedation of pediatric patients, 191
- Fetal alcohol syndrome, airway management in, 769
- Fetal surgery, anesthesia for, **211-226**
- anesthetic management, avoidance of fetal asphyxia, 218-219
 - avoidance of teratogenic agents, 217-218
 - ex utero intrapartum treatment procedure, 222-223
 - fetal anesthesia and monitoring, 219-220
 - maternal safety, 215-217
 - prevention of preterm labor, 221-222
 - relaxation of uterus, 220-221
 - classification of malformations, 211-212
 - fetal treatment center, 215
- Fiberoptic airway management, **935-953**. *See also Bronchoscopy, fiberoptic.*
- anesthesia for, 944-948
 - clinical aspects of, 943-944
 - contraindications for, 942
 - equipment for, 938-941
 - care of, 951-952
 - failure of, 950-951
 - for awake intubation, 825
 - for difficult situations, 825-828
 - in pediatric patients, 757
 - indications for, 941-942
 - laryngeal mask airway in, 865
 - laryngoscopes for, 923-931
 - patient preparation for, 944
 - teaching methods for, 935-938
 - techniques for, 935-938, 948-950

- Fiberoptic Lighted Intubation Stylet, 911
- Fistula, tracheoesophageal, airway management in, 771
- Fistulae, carotid cavernous, interventional neuroradiology for, 354
- Flex tip laryngoscopes, 920-922
- Flipper laryngoscope, 920
- Fluid management, in neurosurgery and neurologic disorders, **329-346**
aneurysm repair, 383-384
colloid oncotic pressure and, 330, 334, 337
diabetes insipidus, 341-342
electrolyte disturbances in, 341-343
fluid restriction in, 337-338
for edema control, 335-337
for intracranial pressure control, 335-337
hematocrit and, 332
hemodilution and, 332
in cerebral salt-wasting syndrome, 342
interventional neuroradiology, 348-349
intraoperative, 338-339
movement between capillaries and tissues and, 330-332
osmotic pressure and, 330
pediatric, 392
postoperative, 339
solutions for, 332-335
spinal cord injury, 340-341
stroke, 340
subarachnoid hemorrhage, 340, 380, 446
syndrome of inappropriate antidiuretic hormone secretion, 342
traumatic brain injury, 339, 423-426
water disturbances in, 341-343
- Focal dermal hypoplasia, airway management in, 769
- Foraminotomy, keyhole, 372
- Foreign body removal, bronchoscopy for, 764-765
- Free radicals, inhibitors of, for brain protection, 322-324
- Freeman-Sheldon syndrome, airway management in, 758-759, 769
- Frova Intubating Introducer, 915-916
- Furosemide, for increased intracranial pressure, 335-336
in pediatric patients, 393
- Fusion, spinal, lumbar interbody, 410-412
-
- ## G
- Gamma-aminobutyric acid receptors, anesthetic agent interactions with, 266
- Gastric tube insertion, with ProSeal laryngeal mask airway, 884-885
- Gastrointestinal system, ProSeal laryngeal mask effects on, 876-877
- General anesthesia, for arteriovenous malformation embolization, 385-386
for interventional neuroradiology, 350
mechanism of action of, 271-272
- Genioglossus muscles, activity of, 791-793
- Giantism, airway management in, 774
- Glasgow Coma Scale, in traumatic brain injury, 418, 449
- Glossolabiopexy, 762-763
- Glossopharyngeal nerve block, in fiberoptic bronchoscopy, 944-945
- Glottic Aperture Seal Airway, 930-931
- Glucose, control of, for brain protection, 321
solutions, cerebral effects of, 332-333, 335
for traumatic brain injury, 426
- Glues, cyanoacrylate, for arteriovenous malformation embolization, 353-354
- Glutamate, inhibitors of, for brain protection, 322-324
receptors for, anesthetic agent interactions with, 266-268
- Glycopyrrolate, for bradycardia, in carotid artery angioplasty, 357
for fiberoptic bronchoscopy, 944
- Goiter, airway management in, 776
- Goldenhar syndrome, airway management in, 758-759, 769
- Gorlin-Goltz syndrome, airway management in, 769
- Granuloma, formation, endotracheal intubation and, 507
laryngeal, in airway management, 962-963

Guedel airway, 855

Guides, for endotracheal intubation, 914-918

H

Halothane, cerebral physiologic effects of, 275, 277-280
for brain protection, 286

Head and neck nerve blocks, in children, 98-102

Head-and-shoulder position, for mask use, 837-838

Head tilt, for mask use, 836

Head turn maneuver, for mask use, 837

Headache, in subarachnoid hemorrhage, 378
neuraxial blockade and, 673-674

Heart, congenital disorders of, in pediatric neurosurgical patients, 390

Heat stroke, exertional, clinical features of, 642-643

Heine Flex Tip laryngoscope, 920

Hematocrit, reduction of, in fluid management, 332
versus cerebral blood flow, 256-257

Hematoma, brain, in shaken baby syndrome, 401
neuroendoscopic evacuation of, 366-367
epidural, neuraxial blockade and, 669-670

Hemodilution, in fluid management, 332
for traumatic brain injury, 432
for vasospasm, in subarachnoid hemorrhage, 380

Hemodynamics, evaluation and stabilization of, in traumatic brain injury, 423-426
monitoring, for neuroanesthesia, in pediatric patients, 138-139

Hemoglobin saturation, measurement of, in jugular venous bulb, 294-297, 454

Hemophilia, airway management in, 769

Hemorrhage, intracranial, in stroke, 441
subarachnoid. *See Subarachnoid hemorrhage.*

Hemorrhagic shock, hypertonic solutions for, 336-337

Henderson laryngoscope blades, 919

Heparin, and epidural hematoma, 670
for interventional neuroradiology, 350-352

Hereditary angioneurotic edema, airway management in, 769

Hernia, congenital diaphragmatic, in neonates and infants, 157-158

Hetastarch, cerebral effects of, 334
for traumatic brain injury, 426
hypertonic, 337

Histamine release, as side-effect of neuromuscular blockers in pediatric anesthesia, 53

Histiocytosis X, airway management in, 769

Huffman laryngoscope blade, 922

Human immunodeficiency virus infection, airway management in, 780

Hunter's syndrome, airway management in, 769

Hurler syndrome, airway management in, 770

Hydrocephalus, in subarachnoid hemorrhage, 381, 445
treatment of, 397-398
endoscopic, 363-366

Hyoid muscles, activity of, 791-793

Hypercarbia, differential diagnosis of, 627-629
with ProSeal laryngeal mask airway, 888

Hypercarbia/hypercapnia, cerebral blood flow in, 254-256, 259

Hyperemia, after arteriovenous malformation removal, 386

Hyperglycemia, control of, for brain protection, 321

Hyperkalemic periodic paralysis, clinical features of, 653

Hypertension, after aneurysm repair, 384
cerebral blood flow limits in, 260
in subarachnoid hemorrhage, 378
in traumatic brain injury, 428-429
induced, for interventional neuroradiology, 352
for vasospasm, in subarachnoid hemorrhage, 380
pulmonary, in obstructive sleep apnea, 797

Hyperthermia, clinical features of, 627-628
differential diagnosis of, 628-632
malignant. *See Malignant hyperthermia.*

- Hypertonic solutions, cerebral effects of, 333, 336-337
for traumatic brain injury, 424
- Hyperventilation, in traumatic brain injury, hypocarbia in, 429, 431
- Hypervolemic therapy, for vasospasm, in subarachnoid hemorrhage, 446
- Hypocarbia/hypocapnia, cerebral blood flow in, 254-256, 259
in hyperventilation, in traumatic brain injury, 429
- Hypoglossal nerve, injury, in oral airway use, 860
paralysis, laryngeal mask airway and, 509
- Hyponatremia, in subarachnoid hemorrhage, 448
- Hypopharynx, anatomy of, 739-740
muscle activity of, 791-793
- Hypotension, in traumatic brain injury, 423-426
induced, for aneurysm repair, 383
for interventional neuroradiology, 351-352
neuraxial blockade and, 681-683
- Hypothermia, cerebral blood flow in, 254
induced, for aneurysm repair, 384
for arteriovenous malformation hemorrhage, 386
for brain protection, 320-321
for increased intracranial pressure, 453
for traumatic brain injury, 434, 453
- Hypotonic solutions, for traumatic brain injury, 426
- Hypovolemia, in traumatic brain injury, 423-426
- Hypoxemia, in postanesthesia care unit, 516-517
- Hypoxia, and hypoxemia, cerebral blood flow in, 256, 259
in traumatic brain injury, 432
with ProSeal laryngeal mask airway, 888
- I**
- Ibuprofen, for postoperative pain management in children, 128
- I-cell disease, airway management in, 770
- Ilioinguinal and iliohypogastric nerve block, in children, 103-104
- Imagica Fiberoptic Lighted Stylet, 911
- Induction of anesthesia, in pediatric patients, 751-752, 755
for pediatric neurosurgery, 391
- Infants. *See* Pediatric patients.
- Infections, central access and, 577
neuraxial blockade and, 671-672
- Inhalation anesthetics, cerebral blood flow effects of, 259
cerebral physiologic effects of, 277-280, 285
for brain protection, 286-287, 319-320
for traumatic brain injury, 432
oxygen tension effects of, 307
- Inhaled anesthesia delivery systems, **539-554**
checkout recommendations for, 550-553
circle system in, 548-550
flow proportioning system in, 544-545
flowmeter assembly and vaporizer manifold in, 543-544
gas supply in, 542-543
generic machine in, 541
vaporizers in, 545-548
- Inotropic phosphodiesterase inhibitors, and rhabdomyolysis, 633
- Insulin, for glucose control, in brain protection, 321
- Intensive care, Esophageal-Tracheal Combitube in, 900
neuromuscular blockers in pediatric patients in, 54-55
ProSeal laryngeal mask airway in, 885-886
- Intercostal nerve blocks, in children, 103
- Interposed abdominal compression cardiopulmonary resuscitation, in treatment of anesthesia-related cardiac arrest in children, 10
- Interventional neuroradiology, **347-359**
anesthetic techniques for, 349
anticoagulation in, 350-351
concerns in, 347
crises management in, 352-353
definition of, 347
for aneurysm ablation, 355-356
for angioplasty, 356-357
for arteriovenous malformations, 353-354
for carotid cavernous fistulae, 354
for carotid occlusion, 355
for pediatric patients, 401-402
for spinal cord lesions, 355

- for stenting procedures, 356-357
 - for thrombolysis in stroke, 357
 - for vein of Galen malformations, 354-355
 - for venous angioma sclerotherapy, 356
 - for vertebral artery fistulae, 353-354
 - general anesthesia for, 350
 - induced hypertension in, 352
 - induced hypotension in, 351-352
 - intravenous sedation in, 350
 - monitoring in, 348-349
 - postoperative management in, 353
 - preanesthetic considerations in, 348
 - radiation safety in, 349
 - superselective anesthesia functional examination in, 351
 - vascular access in, 348-349
- Intracranial hemorrhage, in stroke, 441
- Intracranial optic tract, in postoperative blindness, 609
- Intracranial pressure, anesthetic agent effects on, 285-286
- control of, in aneurysm repair, 382
 - increased, in stroke, 444
 - in subarachnoid hemorrhage, 378, 380-381
 - in traumatic brain injury, 450-453
 - airway function and, 420
 - intubation effects on, 421
 - treatment of, 426-434
 - nitrous oxide causing, 280-281
 - treatment of, 335-337
 - ketamine effects on, 284
 - nitrous oxide effects on, 285-286
 - opioid effects on, 281-282
 - succinylcholine effects on, 284
- Intravascular fluids, in treatment of anesthesia-related cardiac arrest in children, 12-13
- Intubation, endotracheal. *See Endotracheal intubation.*
- Invasive monitoring, complications of, **571-588**
- in arterial catheterization, 582-584
 - femoral and brachial arterial lines, 584
 - radial artery pseudoaneurysms, 584
 - vascular insufficiency, 582-584
 - in central access, 571-578
 - arterial injuries, 573-575
 - cardiac injuries, 575-576
 - catheter, wire, and air embolism, 576
 - infections, 577
 - pneumothorax, 571-572
 - thrombosis, 577-578
 - venous injuries, 572-573
 - in pulmonary artery catheterization, 578-582
 - arrhythmias, 578
 - catheter knotting, 580
 - outcomes of, 580-582
 - pulmonary artery perforation, 578-580
- INVOS series of cerebral oximeters, 299-304
- Ion channels, anesthetic agent interactions with, 265-272
- Ischemia, brain protection from. *See Brain, protection of.*
- optic nerve, in spinal surgery, 412-414
- Ischemic optic neuropathy, in postoperative blindness. *See Postoperative blindness.*
- Isoflurane, cerebral physiologic effects of, 275, 277-280
- for aneurysm repair, 382
 - for brain protection, 320
 - for pediatric neurosurgery, 392
 - oxygen tension effects of, 307
- Isotonic solutions, cerebral effects of, 332-333
-
- J**
- Jaw thrust, for mask use, 837
- Jet ventilation, complications of, 969
- Jewelry, mask use with, 835
- Judicial decisions, on medical treatment of children, 235-238
- Jugular venous bulb oxygen saturation, 294-297
- clinical use of, 295-297
 - in traumatic brain injury, 454
 - methodology for, 294-295
- Juvenile rheumatoid arthritis, airway management in, 759
-
- K**
- Kainate receptors, anesthetic agent interactions with, 267-268
- Kaposi's sarcoma, airway management in, 780
- Ketamine, cerebral physiologic effects of, 284, 286
- electrophysiologic monitoring interactions with, 287-288
 - for brain protection, 286-287, 318-319

- for intubation, in traumatic brain injury, 422
- for office-based anesthesia in children, 207
- for sedation of pediatric patients, 191-192
- mechanism of action of, 267-268

Ketorolac, as adjunct to office-based anesthesia
for children, 206
for postoperative pain management in children, 128

Keyhole foraminotomy, 372

Klippel-Feil syndrome, airway management in, 759, 770

L

Labetalol, for hypertension control, in aneurysm repair, 382

Lactate levels, cerebral, versus oxygen tension, 307-308

Lactated Ringer's solution, for neurosurgery, 339
for traumatic brain injury, 424

Laminectomy, for spinal metastasis, 407

Laparoscopic surgery, to reduce perioperative respiratory complications, 526

Laparoscopy, for lumbar spinal fusion, 412

Larsen's syndrome, airway management in, 770

Laryngeal injuries, endotracheal intubation and, 506

Laryngeal mask airways, **863-870**
classic, 863-866
versus ProSeal mask, 872, 874
complications of, 968
Fastrach, 866-869
for difficult intubation, 824-825
for pediatric patients, 753-754
in difficult situations, 756
in glossolabiopexy, 763
ProSeal. *See ProSeal laryngeal mask airway.*
technique for, 864-865
traumatic complications of, 507-509
types of, 928-931

Laryngeal nerve block, in fiberoptic bronchoscopy, 945-948

Laryngeal nerve injuries, laryngeal mask airway and, 508-509

Laryngeal Tube, 929

Laryngopharynx, muscle activity of, 791-793

Laryngoscopy, fiberoptic devices for, 923-931, 948-950
for intubation, in traumatic brain injury, 420-421
for stenosis, 965
in pediatric patients, 749, 752
equipment for, 753
in difficult situations, 755-756
technique for, 752
rigid devices for, 918-923
design of, 918
flexible tip (levering), 920-922
for anterior larynx access, 922
for cervical spine instability or immobility, 923
for limited mouth opening, 919-922
for small intraoral cavity, 923
for sternal space restriction, 922
Macintosh, 919
Miller, 919
view of, grades of, 814-816
Mallampati classification of, 817-819

Larynx, anatomy of, 740-745
pediatric, 744-745, 747-748
anesthesia for, in fiberoptic bronchoscopy, 945-948
anterior, access to, rigid laryngoscope for, 922
functions of, 740-741
granulomas of, in airway management, 962-963
injury of, in airway management, 959-969
papillomatosis of, airway management in, 770, 776
stenosis of, in acromegaly, 774
in airway management, 963-966

Laser surgery, for papillomatosis of airway, 763-764

Lateral femoral cutaneous nerve block, in children, 107

Latex allergy, in pediatric patients, 401

Leopard syndrome, airway management in, 770

Levering laryngoscopes, 920-922

Levobupivacaine, for local anesthesia in children, 85

Licor probe, for cerebral oxygen tension monitoring, 305-308

- Lidocaine, for fiberoptic bronchoscopy
anesthesia, laryngotracheal, 946
nasal, 944
pharyngeal, 945
for hypertension control, in aneurysm
repair, 382
for local anesthesia in children, 85
mechanism of action of, 271
- Light wand, for airway management, in
pediatric patients, 756-757
- Lighted stylets, for endotracheal intubation,
909-914
- Linder nasopharyngeal airway, 851
- Lingual nerve, block of, in fiberoptic broncho-
scopy, 944-945
injury of, in oral airway use, 860
- Lip injuries, endotracheal intubation and, 504
- Lipophilicity, of anesthetic agents, 265-266
- Lips, cleft, 761-762, 768
compression of, in facemask use, 842
injury of, in airway management,
958-959
in oral airway use, 859
with ProSeal laryngeal mask
airway, 887
tongue suturing to, in Pierre-Robin syn-
drome, 762-763
- Liver, disorders of, in rheumatoid arthritis, 406
- Local anesthetics, anesthetic agent interactions
with, 270-271
cerebral physiologic effects of, 284
perioperative respiratory complications
of, 526
pharmacology and toxicity of, for pedia-
tric regional anesthesia, 84-87
- Lower extremity blocks, in children,
105-109
- Low-molecular-weight heparin, and epidural
hematoma, 670
- Lubricants, for nasal airways, 853
- Ludwig's angina, airway management
in, 780
- Lumbar spine, fusion of, 410-412
- Lung cancer, airway management in, 776
- M**
- Macintosh laryngoscope blade, 919
- Macroglossia, endotracheal intubation
and, 505
- Magnesium, in treatment of anesthesia-related
cardiac arrest in children, 14
- Magnetic resonance imaging, in traumatic
brain injury monitoring, 454
metal facemask parts and, 844
- Malformations, fetal, classification of,
211-212
- Malignant hyperthermia, 623-651
clinical features of, 623-626
counseling for, 645
diagnosis of, 635-637
differential diagnosis of, 630-632
elective anesthesia in, 645-646
exertional rhabdomyolysis and,
642-643
incidence of, 626-627
management of, 643-645
masseter muscle rigidity in, 639-642
molecular genetics of, 638-639
pathophysiology of, 633-635
- Mallampati classification, of intubation
difficulty, 817-819
- Mandible, hypoplasia of, airway management
in, 758-759
- Mannitol, for increased intracranial pressure,
335-336, 452-453
in pediatric patients, 393
in traumatic brain injury, 430
- Marfan syndrome, airway management in, 770
- Masks. *See also Facemasks: Laryngeal
mask airways.*
continuous positive airway pressure for,
837, 839
difficulty with, 814
fogging of, 840
maneuvers for, 836-840
potential difficulties with, 834-840
two-handed ventilation with, 839
- Masseter muscle rigidity, in malignant
hyperthermia, 639-642
- Maxillary nerve block, in fiberoptic
bronchoscopy, 944
- Meckel's syndrome, airway management
in, 770
- Median cleft face syndrome, airway
management in, 770
- Mediastinum, masses in, airway management
in, 776-778
- Medical decision-making, examining
autonomy in, 228-230
legal contours in, 234-235

- Mepivacaine, for local anesthesia in children, 85
- Metabolism, cerebral. *See Cerebral metabolic rate of oxygen consumption.*
- Metastatic tumors, spinal, surgical treatment of, 407-410
- Methohexital, cerebral physiologic effects of, 282
- Methylprednisolone, for spinal cord injury, 456-457
- Microdialysis, cerebral, for subarachnoid hemorrhage, 448
- Micrognathia, airway management in, 758-759
- Midazolam, cerebral physiologic effects of, 283
for pediatric patients, 391
for premedication, for hydrocephalus treatment, 365
for pediatric patients, 751
sedation of pediatric patients, 191
- Miller laryngoscope blade, 919
- Minimally invasive neurosurgery, **361-375**
endoscopic, 363-369
for abscess drainage, 366-367
for biopsy, 366
for cyst treatment, 366-367
for hematoma treatment, 366-367
for hydrocephalus treatment, 363-366
for strip craniectomy, 367-369
for syringomyelia treatment, 367
keyhole foraminotomy, 372
radiosurgery, 372
stereotactic, 369-371
thoracoscopic sympathectomy, 371-372
- Möbius syndrome, airway management in, 770
- Monitoring, invasive. *See Invasive monitoring.*
- Monitoring standards, adherence to, for reducing risk of anesthesia-related cardiac arrest in children, 21-22
- Morphine, for analgesia in pediatric patients, 73-75
for postoperative pain management in children, 116-118
- Morquio syndrome, airway management in, 770
- Mouth. *See also Lips; Oral cavity; Tongue.*
limited opening of, fiberoptic bronchoscopy in, 941
rigid laryngoscope for, 919-922
- Moyamoya syndrome, anesthetic management in, 400-401
- Multimodal postoperative pain management, for children, 126-129
- Muscle biopsy, for malignant hyperthermia, 636-637
- Muscle relaxants, cerebral physiologic effects of, 284
electrophysiologic monitoring interactions with, 287-288
for intubation, in pediatric patients, 751-752
in traumatic brain injury, 422
for pediatric neurosurgery, 391-392
- Muscular dystrophy, myotonic, 647-651
- Music, perioperative, for reducing preoperative anxiety in children, 37-38
- Myelomeningocele, closure of, 397
- Myogenic mechanism, of cerebral blood flow regulation, 258-259
- Myositis ossificans, airway management in, 770
- Myotonias, 646-655
cardiac complications of, 648
hyperkalemic periodic paralysis in, 653
in pregnancy, 651-652
muscular dystrophy, 647-651
myotonia congenita, 651-652
myotonia fluctuans, 652-653
normokalemic periodic paralysis in, 654-655
paramyotonia congenita, 652-655
respiratory complications of, 648-650
-
- N**
- Narcotics. *See Opioids.*
- Nasal airways, 850-854
complications of, 852, 854
contraindications for, 852
description of, 850
false passage of, 854
for pediatric patients, 754
indications for, 852
polyps interfering with, 775
purpose of, 850
types of, 850-852
use of, 852-854
- Nasal intubation, in traumatic brain injury, 421
traumatic complications of, 504

- Nasal structures. *See* *Nose*.
- Nasopharynx, airways for. *See* *Nasal airways*.
- anatomy of, 737-738
- anesthesia for, in fiberoptic bronchoscopy, 944
- muscle activity of, 791-793
- National Institute of Health Stroke Scale Score, 442
- Nausea and vomiting, postoperative. *See* *Post-operative nausea and vomiting*.
- Near-infrared spectroscopy, for transcranial cerebral oximetry, 297-304
- Neck, circumference of, in obstructive sleep apnea, 797-798
- evaluation of, in pediatric patients, 750-751
- injury of, in facemask use, 842
- limited motion of, airway management in, in pediatric patients, 759
- in rheumatoid arthritis, 773-774
- fiberoptic bronchoscopy in, 941
- rigid laryngoscope for, 923
- Neonates, neurosurgery in, emergency, 397
- for hydrocephalus, 365
- risks of, 390
- surgical lesions of chest in, 153-160
- Nerve blocks, for fiberoptic bronchoscopy, 944-948
- Nerve injuries, peripheral blockade and, 696-699
- Nerve root integrity, monitoring, in pediatric neuroanesthesia, 146-148
- Neuraxial blockade, complications of, 669-693
- drug-induced, 677-685
- cardiac, 683-684
- Closed Claims Project data on, 496
- hypotension, 681-683
- in subdural injection, 680-681
- in total spinal block, 679-680
- neurologic injuries, 677-678
- respiratory, 684-685
- systemic toxicity, 678-679
- thermoregulatory dysfunction, 681
- in combined spinal-epidural anesthesia, 676-677
- needle-induced, 669-676
- back pain, 672-673
- broken or knotted catheters, 676
- epidural hematoma, 669-670
- headache, 673-674
- infections, 671-672
- neurologic injuries, 674-675
- pneumocephalus and air embolism, 674
- Neuroanesthesia, 137-151
- detection of seizure foci, 141-142
- awake craniotomy, 142-144
- developmental differences in central nervous system function, 137-138
- hemodynamic monitoring, 138-139
- monitoring anesthetic depth in children, 148-149
- monitoring spinal cord and nerve root integrity, 144-148
- monitors of cerebral oxygenation, cerebral oximetry, 141
- electroencephalography, 139-140
- transcranial Doppler, 140-141
- Neurocritical care, 441-462
- in spinal cord injury, 340-341, 455-457
- in stroke, 340, 357, 441-444
- in subarachnoid hemorrhage. *See* *Subarachnoid hemorrhage*.
- in traumatic brain injury. *See* *Traumatic brain injury*.
- Neuroendoscopy, 363-369
- for abscess drainage, 366-367
- for brain biopsy, 366
- for cyst drainage, 366-367
- for hematoma evacuation, 366-367
- for hydrocephalus correction, 363-366
- for strip craniectomy, 367-369
- for syringomyelia treatment of, 367
- Neurogenic mechanism, of cerebral blood flow regulation, 259
- Neuroleptic malignant syndrome, versus hyperthermia, 630-631
- Neurologic function, preserving, in treatment of anesthesia-related cardiac arrest in children, 18
- Neurologic injuries, neuraxial blockade and, 674-675, 677-678
- Neuromuscular blockade, intraoperative awareness during, 565
- Neuromuscular blocking drugs in pediatric anesthesia, age-related differences in potency, 45-47
- disease states, 54
- duration of action, 47, 50
- intensive care unit setting, 54-55
- intramuscular injection, 51
- kinetics and dynamics, 50-51
- reversal, 54

- side-effects, cholinergic, 53
 - depolarizing effects of succinylcholine, 51-53
 - histamine and anaphylaxis, 53
- Neuropathy, ischemic optic, in postoperative blindness. *See Postoperative blindness.*
- ulnar. *See Ulnar neuropathy.*
- Neurophysiologic monitoring, anesthetic selection for, 287-288
- Neuroradiology, interventional. *See Interventional neuroradiology.*
- Neurosurgery, anesthetic agents for, mechanism of action of, **265-291**
- brain protection during. *See Brain, protection of.*
 - cerebral blood flow and. *See Cerebral blood flow.*
 - cerebral oxygenation monitoring in, **293-313**
 - fluid management in. *See Fluid management, in neurosurgery and neurologic disorders.*
 - for traumatic brain injury. *See Traumatic brain injury.*
 - interventional radiology, **347-359**
 - intracranial vascular, **377-388**
 - minimally invasive, **361-375**
 - pediatric, **389-404**
 - spinal, **405-415**
- Neurotransmitters, anesthetic agent interactions with, 266-272
- excitatory, inhibitors of, for brain protection, 322-324
 - in cerebral blood flow regulation, 259
- Neurotrend probe, for cerebral oxygen tension monitoring, 305-308
- Neurovascular compression, laryngeal mask airway and, 509
- Nicaraven, for vasospasm, in subarachnoid hemorrhage, 447
- Nicotinic acetylcholine receptor, anesthetic agent interactions with, 269
- Nimodipine, for vasospasm, in subarachnoid hemorrhage, 380, 446
- NIRO 500/1000 cerebral oximeters, 299-301
- Nitric oxide, in cerebral blood flow regulation, 254-255, 258
- inhibitors of, for brain protection, 322-324
- Nitroprusside, for vasospasm, in subarachnoid hemorrhage, 447
- Nitrous anesthesia, and postoperative nausea and vomiting, 713-714
- intraoperative awareness during, 565
- Nitrous oxide, cerebral physiologic effects of, 280-281, 285-286
- for brain protection, 319
 - for induction, in pediatric patients, 751, 755-756
 - for pediatric neurosurgery, 391-392
 - for sedation of pediatric patients, 191
 - for traumatic brain injury, 432
- NMDA (N-methyl-D-aspartate) receptors, anesthetic agent interactions with, 267-268
- N-Methyl-D-aspartate receptors, anesthetic agent interactions with, 267-268
- Noack's syndrome, airway management in, 770
- Nonarteritic anterior ischemic optic neuropathy, in postoperative blindness, 612-614
- Nonsteroidal anti-inflammatory drugs (NSAIDs), and epidural hematoma, 670
- as adjunct to office-based anesthesia for children, 206
- Noonan's syndrome, airway management in, 770
- Normokalemic periodic paralysis, clinical features of, 654-655
- Nose, airways for. *See Nasal airways.*
- anatomy of, 733-736
 - pediatric, 749
 - anesthesia for, in fiberoptic bronchoscopy, 944
 - function of, 736
 - injury of, in airway management, 956-958
 - inspection of, for nasal airway use, 853
 - polyps of, airway management in, 775, 956
 - pressure on, in facemask use, 842
-
- O**
- Obesity. *See also Obstructive sleep apnea, in obesity.*
- airway management in, 773, 835
- Obstetrics, difficult airway management in, 819-821
- Obstruction, airway, with ProSeal laryngeal mask airway, 888

- Obstructive sleep apnea, airway management in, 771, 801-806
 apnea-hypopnea index in, 799
 in obesity, **789-811**
 airway management in, 801-806
 anesthetic drug effects in, 801
 arousal in, 795-796
 definition of, 790
 diagnosis of, 797-801
 epidemiology of, 789
 extubation in, 804-805
 intubation in, 802-804
 opioid therapy in, 805-806
 pathophysiology of, 791-797
 preoperative evaluation in, 801-802
 versus normal pharyngeal muscle activity, 791-793
 versus normal sleep, 793
 postoperative monitoring in, 760
- Ocular circulation, in postoperative blindness, 610
- Odontoid, resection of, in rheumatoid arthritis, 407
- Office-based anesthesia for children, **195-210**
 considerations in establishing, facility and equipment, 201-202
 patient selection, 202-203
 personnel, 203-204
 drugs and anesthetic techniques, 204-207
 overview, rationale, 195-196
 safety, 197-201
 recovery and discharge, 207-208
 regional anesthesia, 207
- Oncotic pressure, in fluid management, 330, 334, 337
- Ondansetron, for postoperative nausea and vomiting, 716-717, 719
- Ophthalmic nerve block, in fiberoptic bronchoscopy, 944
- Opiate anesthesia, intraoperative awareness during, 565
- Opioid infusions, for postoperative pain management in children, 115-118
- Opioids, and postoperative nausea and vomiting, 713
 as adjunct to hospital- vs. office-based anesthesia for children, 205
 cerebral physiologic effects of, 281-282
 for analgesia in pediatric patients, 73-77
 for brain protection, 318
 postoperative, in obstructive sleep apnea, 805-806
- receptors for, anesthetic agent interactions with, 269-270
- Opitz-Frias syndrome, airway management in, 770
- Optic nerve, in postoperative blindness, 608-609
 injury, in spinal surgery, 412-414
- Optic neuropathy, ischemic, in postoperative blindness. *See Postoperative blindness.*
- Oral airways, 854-860
 complications of, 859-860
 contraindications for, 857
 description of, 855
 for pediatric patients, 755
 indications for, 856-857
 purpose of, 854
 types of, 855-856
 use of, 857-859
- Oral cavity, airways for. *See Oral airways.*
 carcinoma of, airway management in, 775
 injury of, in airway management, 958-959
 in facemask use, 842
 Ludwig's angina of, 780
 small, rigid laryngoscope for, 923
- Oralet, for sedation of pediatric patients, 191
- Oral-facial-digital syndrome, airway management in, 770
- Oropharynx, anatomy of, 738-739
 anesthesia for, in fiberoptic bronchoscopy, 944-945
 injury of, in airway management, 958-959
 muscle activity of, 791-793
 redundant tissue in, in acromegaly, 774
 small, fiberoptic bronchoscopy in, 941
- Osmolality, of blood, fluid management and, 329-330
- Osmotic pressure, fluid management and, 329-330
- Osteogenesis imperfecta, airway management in, 770
- Ovassapian airway, 855
- Oximetry, cerebral, for monitoring cerebral oxygenation in pediatric neuroanesthesia, 141
 transcranial, 297-304
- Oxygen consumption, cerebral metabolic rate of. *See Cerebral metabolic rate of oxygen consumption.*

- Oxygen saturation, in obstructive sleep apnea, 798-800, 803-804
- Oxygen tension, cerebral, monitoring of, 305-308
in cerebral blood flow regulation, 256, 259
- Oxygen therapy, for traumatic brain injury, 431-432
- Oxygenation monitoring, cerebral, **293-313**
difficulty with, 294
in pediatric neuroanesthesia, cerebral oximetry, 141
electroencephalography, 139-140
transcranial Doppler, 140-141
jugular venous bulb oxygen saturation in, 294-297, 454
oxygen tension, 305-308
transcranial, 297-304
types of, 294

P

- Pain, radicular, keyhole foraminotomy for, 372
- Pain management, acute and extended postoperative, in children, **115-135**
epidural analgesia, 120-121
adverse effects, 124-126
caudal vs. lumbar or thoracic catheter insertion, 121
choice of local anesthetic agent, 121-122
epidural opioids, clonidine, and other additives, 122-124
patient-controlled, 124
sedatives, 124
multimodal postoperative pain management, 126-127
complementary therapies, 127-128
nonopioid analgesics, 128
preemptive analgesia, 129
opioid infusions, 115-118
other regional anesthesia techniques, 126
patient-controlled analgesia, 119-120
preparing the child for discharge, 129-130
- Palate, cleft. *See Cleft and palate.*
- Pancuronium, for pediatric neurosurgery, 391
- Papaverine, for cerebral vasospasm, 356, 380
- Papillomatosis, airway, airway management in, 763-764, 770, 776
- Paralysis, neuraxial blockade and, 677
- Parasympathetic nervous system, in cerebral blood flow regulation, 254
- Parecoxib, as selective cyclo-oxygenase-2 inhibitor, 66-67
- Parental presence during induction of anesthesia, benefits vs. drawbacks of, 34-37
- Patau's syndrome, airway management in, 771
- Patient-controlled analgesia, for postoperative pain management in children, 119-120, 124
- Patil Two-Part Intubation Catheter, 915
- Patil-Syracuse facemask, 843, 949
- PbtO₂ (cerebral oxygen tension), monitoring of, 305-308
- Pediatric anesthesia, new concepts and techniques in, anesthesia for fetal surgery, **211-226**
anesthesia-related cardiac arrest in children, **1-28**
ethical dilemmas for pediatric surgical patients, **227-240**
neuroanesthesia, **137-151**
neuromuscular blocking drugs in pediatric anesthesia, **45-58**
new concepts in acute and extended postoperative pain management in children, **115-135**
novel concepts for analgesia in pediatric surgical patients, **59-82**
office-based anesthesia for children, **195-210**
pediatric thoracic anesthesia, **153-180**
practical pediatric regional anesthesia, **83-113**
psychological preparation of the parent and pediatric surgical patient, **29-44**
sedation and analgesia in pediatric patients for procedures outside the operating room, **181-194**
- Pediatric patients, airway management in, 391
anatomic considerations in, 744-745, 747-749

- craniosynostosis treatment, 367-369, 398-399
- developmental considerations in, 389-390
- emergency, 397
- epilepsy treatment, 399-400
- equipment for, 752-755
- extubation in, 759-761
- facemasks for, 846
- history taking for, 749-751
- hydrocephalus treatment, 363-366, 397-398
- in anesthesia induction, 751-752, 755-756
- in congenital anomalies, 757-759
- in difficult situations, 750, 755-761
- in upper airway surgery, 761-765
- indications and techniques for single lung ventilation in, 165-169
- induction of anesthesia in, 391
- interventional neuroradiology, 401-402
- intraoperative management in, 391-396
- laryngoscopy in, 752
- maintenance of anesthesia in, 391-393
- monitoring in, 393-394
- neonatal, 397
- neurosurgery in, **389-404**
- physical examination for, 749-751
- positioning for, 394-396
- postoperative management in, 396
- premature or expremature, reducing risk of anesthesia-related cardiac arrest in, 19-20
- premedication for, 751
- preoperative evaluation for, 390-391
- ProSeal laryngeal mask airway in, 886
- spinal, 401
- surgical lesions of chest in, 153-160
- trauma management, 401
- tumor excision, 399
- vascular access in, 393
- vascular anomaly correction, 400-401
- Pedicle screw fixation, of lumbar spine, 410-411
- Penile block, in children, 104
- Pentastarch, for neurosurgery, 339
- Pentobarbital, cerebral physiologic effects of, 282
- for sedation of pediatric patients, 190-19
- Perfusion pressure, cerebral, control of, in traumatic brain injury, 427-434
- critical values for, for oxygen tension maintenance, 427-434
- in cerebral blood flow regulation, 257-258
- Perioperative arm position, and ulnar neuropathy. *See Ulnar neuropathy.*
- Perioperative respiratory complications, **513-537**
- aspiration, 517-519
- Closed Claims Project data on, 493-495
- improved incidence of, 519-520
- in high-risk patients, 520-521
- in postanesthesia care unit, 515-516
- hypoxemia, 516-517
- of sedation versus anesthesia, 514-515
- risk factors for, 521-523
- reduction of, 523-529
- for deep venous thrombosis and pulmonary embolism, 527-528
- local anesthesia and sedation in, 526
- preoperative evaluation and preparation in, 523-526
- regional anesthesia in, 526-529
- Peripheral blockade, complications of, **695-707**
- drug-induced, 699-702
- allergic reactions, 701-702
- blockade of other nerves, 702
- local toxicity, 701
- systemic toxicity, 699-701
- needle-induced, 695-699
- nerve injuries, 696-699
- tissue injuries, 695-696
- vascular injuries, 696
- Peripheral nerve blocks, for pediatric regional anesthesia, 97-98
- abdomen, 103-104
- lower extremity blocks, 105-109
- nerve stimulator, 98-102
- relative contraindications, 98
- trunk block, 103
- upper extremity blocks, 104-105
- Pharyngeal Airway Xpress, 929-930
- Pharyngoesophageal perforation, anesthesia and, Closed Claims Project data on, 597-598
- Pharynx, anatomy of, 736-740, 813
- anesthesia for, in fiberoptic bronchoscopy, 944-945
- collapse of, in anesthesia, 801
- fat deposition in, 793-794
- injury of, in airway management, 958-959

- in Esophageal-Tracheal Combitube use, 903-904
- limited space in, fiberoptic bronchoscopy in, 941-942
- muscle activity of, 791-793
- Phenylephrine, for hypertension induction, for interventional neuroradiology, 352
- Phenytoin, for seizures, in traumatic brain injury, 453
- Phosphodiesterase inhibitors, and rhabdomyolysis, 633
- Piercing, body, mask use with, 835
- Pierre-Robin syndrome, airway management in, 758-759, 771
- glossolabiopexy in, 762-763
- Plasma, cerebral effects of, 334
- Plasminogen activator, for stroke, 444
- for vasospasm, in subarachnoid hemorrhage, 447
- Pneumocephalus, neuraxial blockade and, 674
- Pneumonia, in subarachnoid hemorrhage, 447
- Pneumothorax, central access and, 571-572
- peripheral blockade and, 695-696
- Polyps, airway, airway management in, 775, 956
- Polysomnography, in obstructive sleep apnea, 798-800
- Polyvinyl alcohol microspheres, for arteriovenous malformation embolization, 354
- Pompe's disease, airway management in, 771
- Postoperative blindness, **605-622**
- anastomoses in, 609
- anterior optic nerve in, 608-609
- central retinal artery occlusion in, 616
- central retinal vein obstruction in, 616-617
- Closed Claims Project data on, 499-500
- cortical, 615-616
- etiology of, 617-618
- intracranial optic tract in, 609
- ischemic optic neuropathy in, 610-615
- anterior, 610-612
- arteritic, 614
- nonarteritic, 612-614
- posterior, 615
- management of, 618
- ocular circulation in, 610
- posterior optic nerve in, 609
- prevention of, 618-619
- retina in, 606-607
- venous drainage in, 610
- Postoperative nausea and vomiting, **709-722**
- anticholinesterase drugs and, 714-715
- clinical studies of, 711-712
- systematic reviews of, 712-713
- definition of, 709
- factors affecting, 710
- management of, 719
- nonpharmacologic, 715
- multimodal prophylaxis for, 718-719
- nitrous oxide and, 713-714
- opioids and, 713
- physiology of, 709-710
- prophylactic versus rescue antiemetics for, 715-718
- propofol and, 714
- Post-traumatic stress syndrome, awareness during anesthesia and, 559-561
- Potassium channels, anesthetic agent interactions with, 269, 271
- Preemptive analgesia, for pain management in children, 129
- Pregnancy, myotonic muscular dystrophy in, 651-652
- Premedication, for hydrocephalus
- treatment, 365
- for pediatric patients, 751
- Preoperative interview, for pediatric surgical patient, 38-39
- Preoperative preparation programs for children and parents, 31-34
- Problem solving, ethical, regarding pediatric surgical patient, 230-234
- Propofol, and postoperative nausea and vomiting, 714
- cerebral physiologic effects of, 283
- for brain protection, 317-318
- for epilepsy surgery, 400
- for increased intracranial pressure, in traumatic brain injury, 453
- for induction, in pediatric patients, 751
- for pediatric neurosurgery, 391
- for sedation of pediatric patients, 192
- for traumatic brain injury, 421, 433
- oxygen tension effects of, 307
- ProSeal laryngeal mask airway, 869-870, **871-891, 928**
- anatomic considerations in, 873-875
- complications of, 887-889
- conduit function of, 878-879
- contraindications for, 879-880
- cuff inflation and fixation with, 881-882
- description of, 872-873
- design and development of, 871-872

emergence with, 885
 for anesthesia, 880-885
 for difficult intubation, 824-825, 886
 for emergency medicine, 885
 for intensive care, 885-886
 for pediatric patients, 886
 for surgery, 886-887
 function of, 877-879
 gastric tube insertion with, 884-885
 indications for, 879-880
 insertion of, 880-881
 leak testing in, 884
 maintenance with, 885
 malposition of, 882-884
 patency testing for, 884
 physiologic considerations with,
 875-877
 problems with, 887-889
 removal of, 885
 sealing capability of, 877-878
 versus classic mask, 872, 874
 with coexisting diseases, 886

Protamine, for heparin reversal, in interventional neuroradiology, 352

Pseudoaneurysms, pulmonary artery catheterization and, 579
 radial artery, arterial catheterization and, 584

Psychological preparation of parent and pediatric surgical patient, **29-44**
 behavioral preparation modalities, parental presence during induction of anesthesia, 34-37
 perioperative music and sensory stimuli, 37-38
 preoperative interview, 38-40
 preoperative preparation programs for children, 31-33
 preoperative preparation programs for parents, 33-34
 outcomes related to preoperative anxiety, behavioral outcomes, 40-41
 physiologic outcomes, 41-42
 risk factors for preoperative anxiety, 30-31

Pulmonary artery catheterization. *See Invasive monitoring.*

Pulmonary artery perforation, pulmonary artery catheterization and, 578-580

Pulmonary aspiration, perianesthetic, 517-519

Pulmonary embolism, risk of, reduction of, 527-528

Pulmonary hypertension, in obstructive sleep apnea, 797

Pulmonary sequestrations, in neonates and infants, 155

Pyle's disease, airway management in, 771

Q

Quality improvement programs, for reducing risk of anesthesia-related cardiac arrest in children, 22-23

R

Radial artery pseudoaneurysms, arterial catheterization and, 584

Radiation safety, in interventional neuroradiology, 349

Radiculopathy, keyhole foraminotomy for, 372

Radiology, interventional. *See Interventional neuroradiology.*

Radiosurgery, stereotactic, 372

Rapacurium, bronchospasm from, in pediatric patients, 53

Recurrent laryngeal nerve injuries, laryngeal mask airway and, 508-509

Reflexes, protective, ProSeal laryngeal mask airway and, 888

Regional anesthesia, complications of, **665-667**
 for office-based anesthesia in children, 207
 perioperative respiratory, 526-529
 practical pediatric, **83-113**
 peripheral nerve blocks, 97-98

abdomen, 103-104
 lower extremity blocks, 105-109
 nerve stimulator, 98-102
 relative contraindications to, 98

trunk block, 103
 upper extremity blocks, 104-105

pharmacology and toxicity of local anesthetics, central neuraxial blocks, 85-87
 continuous caudal catheter, 90-93
 epidural block, 90-93
 local anesthetic agents, 84-85

- "single-shot" caudal block, 87-90
 - spinal anesthesia, 94-97
 - Regurgitation, in traumatic brain injury, 422-423
 - Remifentanyl, for analgesia in pediatric patients, 76-77
 - Rendell-Baker-Soucek facemask, 843
 - Respiratory complications, of myotonic muscular dystrophy, 648-650
 - of neuraxial blockade, 684-685
 - perioperative. *See* Perioperative respiratory complications.
 - Respiratory depression, versus hypercarbia, 627
 - Respiratory disorders, in pediatric neuro surgery, 396
 - in rheumatoid arthritis, 406
 - in spinal cord injury, 457
 - in traumatic brain injury, 454-455
 - Respiratory system, ProSeal laryngeal mask effects on, 875-876
 - Resuscitation, cardiopulmonary, Esophageal-Tracheal Combitube for, 899-900
 - Reticular activating system, anesthetic agent effects on, 272
 - Retina, in postoperative blindness, 606-607
 - Retinal artery occlusion, and postoperative blindness, 616
 - Retinal vein obstruction, and postoperative blindness, 616-617
 - Retrograde intubation, 825-827
 - Retromolar Intubation Fiberscope, 914
 - Retropharyngeal abscess, airway management in, 780
 - Rhabdomyolysis, exertional, clinical features of, 642-643
 - perioperative, 632-633
 - Rheumatoid arthritis, airway management in, 759, 773-774
 - spinal surgery for, 405-408
 - intraoperative management in, 407-408
 - preoperative evaluation in, 406-407
 - Rocuronium, for intubation, in traumatic brain injury, 422
 - Rofecoxib, as selective cyclo-oxygenase-2 inhibitor, 65-66
 - Ropivacaine, for local anesthesia in children, 85
 - Ryanodine, in muscle biopsy, for malignant hyperthermia, 637
- S**
- SAFE (superselective anesthesia functional examination), for interventional neuroradiology, 351
 - Sagittal sinuses, anatomy of, 249
 - Saline solutions, cerebral effects of, 332-333, 336-337
 - Salt-wasting, cerebral, fluid management in, 342
 - Sarcoma, Kaposi's, airway management in, 780
 - Scents, for facemasks, 844
 - Schroeder Oral/Nasal Directional Stylet, 915
 - Sciatic nerve block, in children, 105-106
 - Scleroderma, airway management in, 771
 - Sclerotherapy, for venous angioma, 356
 - Sedation, after spinal surgery, 410
 - and analgesia in pediatric patients for procedures outside the operating room, 181-194
 - definition of sedation, 183-184
 - rewriting hospital policies to assure compliance with new definition and standards, 184-185
 - risks of sedation, 182-183
 - specific sedation techniques, 185-192
 - for arteriovenous malformation embolization, 385-386
 - for awake intubation, 824
 - for fiberoptic bronchoscopy, 944
 - for interventional neuroradiology, 350
 - for pediatric patients, 391
 - for stereotactic procedures, 371-372
 - mechanism of action of, 271-272
 - perioperative respiratory complications of, 514, 526
 - reducing risk of anesthesia-related cardiac arrest in children from, 20-21
 - Sedatives, with epidural analgesia, in children, 124
 - Seeing Optical Stylet System, 912-913
 - Seizure foci, detection of, in pediatric neuro-anesthesia, 141-143

- Seizures, in increased intracranial pressure, 453
in stroke, 444
in subarachnoid hemorrhage, 445
- Sensory stimuli, perioperative, for reducing preoperative anxiety in children, 37-38
- Sepsis, in subarachnoid hemorrhage, 447
- Serotonin syndrome, versus hyperthermia, 631
- Sevoflurane, cerebral physiologic effects of, 277-278, 280
for pediatric neurosurgery, 391
- Shaken baby syndrome, hematoma evacuation in, 401
- Shock, hemorrhagic, hypertonic solutions for, 336-337
- Shuttle, The (lighted stylet), 911
- Sialadenopathy, laryngeal mask airway and, 508
- Sigmoid sinus, anatomy of, 250
- Siker laryngoscope blade, 922
- Silver-Russell dwarfism, airway management in, 771
- Simultaneous compression-ventilation cardiopulmonary resuscitation, in treatment of anesthesia-related cardiac arrest in children, 10
- Single lung ventilation, indications and techniques for, in infants and children, 165-169
- Single-lumen endotracheal tube, in single lung ventilation in infants and children, 165-166
- "Single-shot" caudal block, for pediatric regional anesthesia, 87-90
- Sinusitis, in nasotracheal intubation, 957-958
- SjvO₂ (jugular venous bulb oxygen saturation), 294-297
in traumatic brain injury, 454
- Sleep, physiology of, 793
- Sleep apnea, and perioperative respiratory complications, 522
obstructive. *See Obstructive sleep apnea.*
- Smith-Lemli-Opitz syndrome, airway management in, 771
- Sniffing position, ability to assume, assessment of, 817
- Snoring, in obstructive sleep apnea, 793, 795
mask use difficulty related to, 835
- Sodium bicarbonate, in treatment of anesthesia-related cardiac arrest in children, 14-15
- Sodium channels, anesthetic agent interactions with, 269-271
- Somatosensory evoked potentials, anesthetic selection for, 287
for monitoring spinal cord in pediatric neuroanesthesia, 144-145
- Sotos syndrome, airway management in, 771
- Spectroscopy, near-infrared, for transcranial cerebral oximetry, 297-304
- Spina bifida, treatment of, 397
- Spinal anesthesia, for pediatric regional anesthesia, 94-97
- Spinal artery syndrome, neuraxial blockade and, 675
- Spinal cord, decompression, in metastasis, 407-410
injury, 455-457
anesthesia and, Closed Claims Project data on, 487
complications of, 457
epidemiology of, 455
evaluation of, 456
fluid management in, 340-341
initial stabilization in, 456
neuraxial blockade and, 675
secondary injury in, 456-457
lesions, interventional neuroradiology for, 355
monitoring, in pediatric neuroanesthesia, 144-146
syringomyelia of, endoscopic treatment of, 367
- Spinal surgery, **405-415**
for metastatic tumors, 408-410
for pediatric patients, 397, 401
for rheumatoid arthritis, 405-408
lumbar interbody fusion, 410-412
visual loss after, 412-414
- Spinal-epidural anesthesia, effects of, 676-677
- Spine. *See also Spinal cord.*
injuries of, with traumatic brain injury, 418, 420-421, 423
metastatic tumors of, surgical treatment of, 407-410
- Spirometry, of perioperative respiratory complications, 524-525
- Split Berman airway, 855
- Spondylolisthesis, lumbar, fusion for, 410-412

- Starling equation, fluid movement and, 330-331
- Stenting, for atherosclerosis, 356-357
- Stereotactic procedures, anesthetic considerations in, 371
for brain biopsy, 366
frameless, 370-371
head frames in, 369-370
radiosurgery, 372
- Sternum, restricted space in, rigid laryngoscope for, 922
- Stethoscope, for airway sound monitoring, 840
- Stevens-Johnson syndrome, airway management in, 771
- Stiff joint syndrome, in diabetes mellitus, airway management in, 772-773
- Stomach, insufflation of, with ProSeal laryngeal mask airway, 887-888
- Straight sinus, anatomy of, 249
- Straps, for facemask, 848
- Stridor, airway management in, 767, 772
postextubation, in pediatric patients, 759-760
- Strip craniectomy, endoscopic, 367-369
- Stroke, 441-444
complications of, 441-443
evaluation of, 441-443
fluid management in, 340
thrombolytic therapy for, 357, 443-444
treatment of, 441, 444
- Stylets, for endotracheal intubation, in pediatric patients, 756-757
lighted, 909-914
- Subarachnoid hemorrhage, 444-448
anesthetic management of, 381-384
classification of, 377
clinical features of, 378, 445
complications of, 379-381, 447-448
diagnosis of, 378
epidemiology of, 377-378
fluid management in, 340
in aneurysm, 444-448
in stroke, 441
intraoperative, 383-384
postoperative management of, 384
prognosis for, 444-445
recurrent, 379, 445
treatment of, 354-355
vasospasm in, 445-447
warning leak in, 378
- Subdural injections, effects of, 680-681
- Subglottic edema, endotracheal intubation and, 507
- Submandibular tissue, compliance of, in fiberoptic bronchoscopy, 942
- Succinylcholine, and rhabdomyolysis, 632
cerebral physiologic effects of, 284, 286
depolarizing effects of, in pediatric anesthesia, 51-53
for intubation, in traumatic brain injury, 422
- Sufentanil, cerebral physiologic effects of, 281
- Superior vena cava syndrome, airway management in, 777-778
- Superselective anesthesia functional examination, for interventional neuroradiology, 351
- Supraventricular tachycardia, management of, in anesthesia-related cardiac arrest in children, 18
- Sympathectomy, thoroscopic, 371-372
- Sympathetic nervous system, in cerebral blood flow regulation, 254
- Syndrome of inappropriate antidiuretic hormone secretion, fluid management in, 342
in subarachnoid hemorrhage, 381, 448
in traumatic brain injury, 455
- Syringomyelia, endoscopic treatment of, 367
-
- T**
- Teeth, injury of, in airway management, 958
in facemask use, 842
in oral airway use, 859
lack of, mask use with, 835
loose, in pediatric patients, 750
- Temperature, body. *See also Hypothermia.*
cerebral blood flow effects of, 254
control of, for brain protection, 320-321
- Temporomandibular joint, disorders, in airway management, 958
in rheumatoid arthritis, 773-774
injuries, endotracheal intubation and, 505
- Tensor palatini muscles, activity of, 791-793
- Tethered cord syndrome, treatment of, 401
- Tetracaine, for local anesthesia in children, 85
- Thalassemia, airway management in, 771

- Thermoregulatory dysfunction, neuraxial blockade and, 681
- Thiopental, cerebral physiologic effects of, 282
for aneurysm repair, 382, 384
for brain protection, 316-317
for induction, in pediatric patients, 751
for pediatric neurosurgery, 391
for traumatic brain injury, 421, 433
oxygen tension effects of, 307
- Thoracic anesthesia, pediatric, **153-180**
indications and techniques for single lung ventilation in infants and children, balloon-tipped bronchial blockers, 166-167
double-lumen tubes, 168-169
single-lumen endotracheal tube, 165-166
Univent tube, 167-168
monitoring and anesthetic techniques, 169-170
epidural anesthesia, 171-174
surgical lesions of chest, in childhood, 161-164
in neonates and infants, congenital cystic lesions, 155-156
congenital diaphragmatic hernia, 157-158
congenital lobar emphysema, 156
pulmonary sequestrations, 155
tracheal stenosis, 153, 155
tracheoesophageal fistula, 158-160
ventilation and perfusion during thoracic surgery, 164-165
- Thoracoabdominal synchrony, in effective mask use, 839
- Thoracoscopic sympathectomy, 371-372
- Thoracoscopy, video-assisted, to reduce perioperative respiratory complications, 526
- Thoracotomy, for spinal metastatic tumor excision, 409-410
- Thromboembolic disease, in spinal cord injury, 457
in subarachnoid hemorrhage, 448
- Thrombolytic therapy, for stroke, 357, 443-444
- Thrombosis, central access and, 577-578
- Thyroid gland, enlarged, airway management in, 776
- Tirilizad, for spinal cord injury, 457
for vasospasm, in subarachnoid hemorrhage, 447
- Tissue injuries, peripheral blockade and, 695-696
- Tissue plasminogen activator, for stroke, 444
for vasospasm, in subarachnoid hemorrhage, 447
- Tongue, anatomy of, pediatric, 748
anesthesia for, in fiberoptic bronchoscopy, 944-945
enlarged, in acromegaly, 774
injury of, endotracheal intubation and, 505
in airway management, 958-959
in facemask use, 842
laryngeal mask airway and, 508
with ProSeal laryngeal mask airway, 887
piercing of, mask use with, 835
size of, in Mallampati classification, 817-819
stitches in, for airway management, 762
suturing to lip, in Pierre-Robin syndrome, 762-763
- Tonsillitis, airway management in, 779
- Topical anesthesia, for awake intubation, 824-825
for fiberoptic bronchoscopy, 944-948
- Total spinal anesthesia, effects of, 679-680
- Trachea, anesthesia for, in fiberoptic bronchoscopy, 945-948
injury of, endotracheal intubation and, 507
in airway management, 959-969
stenosis of, in airway management, 963-966
- Tracheal ring, first, anatomy of, 742
- Tracheal stenosis, in neonates and infants, 153, 155
- Tracheoesophageal fistula, airway management in, 771
in neonates and infants, 158-160
- Tracheostomy, percutaneous, complications of, 966-968
- Trachlight, 910-912
- Transcranial cerebral oximetry, 297-304
clinical use of, 300-304
concentration type, 299-301

- devices for, 299-304
 - history of, 297-298
 - limitations of, 304
 - methodology of, 298-300
 - saturation type, 299-304
- Transcranial Doppler, for monitoring cerebral oxygenation in pediatric neuroanesthesia, 140-141
- Transmural pressure, control of, in aneurysm repair, 382
- Trauma. *See also specific structures, injury of.*
Esophageal-Tracheal Combitube use in, 900-901
- to lumbar spine, fusion for, 410-412
- Traumatic brain injury, **417-439**
cerebral blood flow dysregulation in, 259-260
- cerebral metabolic rate of oxygen consumption in, 295
- cerebral oxygen saturation measurement in, 296
- cerebral oxygen tension monitoring in, 306
- complications of, 454-455
- definitive management of, 427-434
- epidemiology of, 417, 448
- evaluation and stabilization of, 418-426, 449
- hemodynamic, 423-426
- of airway, 418-423
- rapid, 418
- fluid management in, 339
- in pediatric patients, 401
- increased intracranial pressure in, 450-453
- injuries associated with, 418
- monitoring of, 454
- prognosis for, 417
- secondary injury in, 433-434, 448-449
- succinylcholine in, 286
- team approach to, 417-418
- treatment of, 449-454
- Treacher-Collins syndrome, airway management in, 758-759, 771
- Trigeminal nerve block, in fiberoptic bronchoscopy, 944
- Triple H therapy, for vasospasm, in subarachnoid hemorrhage, 380
- Trismus-pseudocamptodactyl syndrome, airway management in, 771
- Trisomy 21, airway management in, 757-758, 769
- Trunk block, in children, 103
- Tube-Stat lighted stylet, 911
- Tumors, brain, pediatric, 399
- spinal, surgical treatment of, 407-410
- Turner's syndrome, airway management in, 771
-
- U**
- Ulnar neuropathy, perioperative arm position and, **589-603**
anatomy and epidemiology of, 593-595
- anesthetic implications of, 595-598
- clinical studies of, 595-598
- Closed Claims Project database on, 589-590
- management of, 600-601
- mechanism of, 590-593
- medicolegal implications of, 598-600
- prevention of, 600
- postoperative, Closed Claims Project data on, 496-497
- Univent tube, in single lung ventilation in infants and children, 167-168
- Upper extremity blocks, in children, 104-105
- UpsherScope laryngoscope, 926
- Urbach-Wiethe disease, airway management in, 771
- Uvula injuries, endotracheal intubation and, 504-505
- in oral airway use, 860
-
- V**
- Vagus nerve block, in fiberoptic bronchoscopy, 945-946
- Vascular access, for interventional neuroradiology, 348-349
- for pediatric neurosurgery, 393
- in treatment of anesthesia-related cardiac arrest in children, 11-12
- Vascular injuries, peripheral blockade and, 696
- Vascular insufficiency, arterial catheterization and, 582-584
- Vascular resistance, cerebral, regulation of, 427
- Vascular surgery, intracranial. *See Aneurysms, intracranial; Arteriovenous malformations, brain.*

Vasopressin, in treatment of anesthesia-related cardiac arrest in children, 14

Vasospasm, in subarachnoid hemorrhage, 356, 380, 384, 445-447

Vecuronium, for intubation, in traumatic brain injury, 422

Vein of Galen, anatomy of, 248-249
malformations of, interventional neuroradiology for, 354-355

Venous angioma, sclerotherapy for, 356

Venous injuries, central access and, 572-573

Ventricular fibrillation, management of, in anesthesia-related cardiac arrest in children, 15, 17

Ventricular tachycardia, management of, in anesthesia-related cardiac arrest in children, 15, 17

Ventriculostomy, endoscopic, for hydrocephalus, 363-366

Vertebrae. *See* *Spine; Spinal cord.*

Vertebral artery, anatomy of, 247-248
fistulae of, interventional neuroradiology for, 354

Video technology, in laryngoscopy, 923

Video-assisted thoracoscopy, to reduce perioperative respiratory complications, 526

Visual loss, after spinal surgery, 412-414

Vocal cords, anatomy of, 743
pediatric, 748
paralysis of, endotracheal intubation and, 506
in airway management, 960-961
polyps of, airway management in, 775

Vomiting, with facemask, 849-850
with ProSeal laryngeal mask airway, 888

W

Wake-up test, for monitoring during pediatric neuroanesthesia, 145-146

Wegener's granulomatosis, airway management in, 771

Williams airway, 856

Wire embolism, central access and, 576

WuScope laryngoscope system, 926-928

Z

Zenker's diverticulum, airway management in, 774

Zygoma, injury of, in facemask use, 842